

BIODIVERSITY

— For a —

Sustainable Future



EDITORS

Dr. Nandkumar K. Kamble



Dr. Sanika S. Gupte



VYD Publishers

Date : 08/10/2026
Ref. No : VYDP113/2026

To,

Mr. Rahul Tayade

Department of Zoology,
Kisan Veer Mahavidyalaya, Wai,
Tal. Wai, Dist. Satara

Subject: Letter of appreciation and thanks...

Respected Sir/Madam,

We hope this letter finds you in the best of spirits. We are writing to express our sincere gratitude for your invaluable book chapter **"Natural Resource Management: A Multidisciplinary Approach for Biodiversity Conservation and Sustainable Development"** in book entitled **"Biodiversity for a Sustainable Future"** with ISBN No. **978-81-180424-3-3**. It has been an absolute pleasure working with you throughout the publication process, and we wanted to take a moment to convey our heartfelt appreciation for your dedication and commitment.

On behalf of VYD Publishers, we would like to express our profound appreciation for creating awareness among the society on very important burning issue. We look forward to future opportunities for collaboration and wish you continued success in all your future endeavors.

Prof. Vishwas Y. Deshpande
Director
Team VYD

Mr. Abhijeet R. Pathare
In-Charge
VYD Publishers

BIODIVERSITY

FOR A SUSTAINABLE FUTURE



ISBN No.: 978-81-180424-3-3

EDITORS

Dr. Nandakumar Kallappa Kamble

Dr. Sanika Shailesh Gupte

ISBN 978-81-180424-3-3



 **VYD**
PUBLISHERS

Prof. Dr. M. Madhavi

*Professor & Former Head and chairperson BoS Department of Zoology
Director Sir Ronald Ross Institute of Parasitology Osmania University,
Hyderabad, India.*

Mr. Rahul Tayade

*Department of Zoology, Kisan Veer Mahavidyalaya, Wai, Tal. Wai, Dist.
Satara*

Dr. Vijayshree Hemke

*Department of Zoology, Shri Shivaji Science and Arts College, Chikhli,
Dist. Buldhana, Maharashtra*

Ashiya Momin

*Assistant Professor, Department of Zoology, Dr. Patangrao Kadam
Mahavidyalaya, Ramanandnagar (Burli), Tal. Palus, Dist. Sangli*

Mrs. Rhuta Samir Jogalekar

*Department of Zoology, Assistant Professor (CHB), Willingdon College
(Autonomous), Sangli*

Dr. Sachin K. Shelake

*Assistant Professor, Yashwantrao Chavan Mahavidyalaya, Halkarni,
Chandgad*

Dr. Sheetal Dattatray Londhe

*Zoology Assistant Professor (CHB), Willingdon College (Autonomous),
Sangli*

Dr. Pratiksha Suresh Bhandare

*Assistant Professor, Department of Zoology, Padmbhushan Dr.
Vasantaodada Patil Mahavidyalaya, Tasgaon, District Sangli*

Dr. Uttamrao Lalasaheb Shevale

*Department of Zoology and Fishery Science, Yashvantrao Chavan
Institute of Science, Satara, Constituent College, KBP University, Satara*

Mr. Prathamesh Maruti Bhosale

*Assistant Professor, Department of Statistics, Yashvantrao Chavan
Institute of Science, Satara, Maharashtra, India.*

Dr. Sharadkumar Mallikarjun Nimbale

*Department of Statistics, Karmaveer Bhaurao Patil Mahavidyalaya,
Pandharpur, Maharashtra, India*

SECTION II: NATURAL RESOURCES, WILDLIFE AND CONSERVATION CHALLENGES

9. Natural Resource Management: A Multidisciplinary Approach for Biodiversity Conservation and Sustainable Development
Mr. Rahul Tayade 133 – 142
 10. The Journey of Dhurandar and Mona
Dr. Vijayshree Hemke 143 – 156
 11. Environmental Pollution and Its Impact on Wildlife and Ecosystems
Dr. Ashiya Momin 157 – 169
 12. Invasive Alien Species and Their Impact on Native Biodiversity
Mrs. Rhuta Samir Jogalekar 170 – 189
-

13. Human-Wildlife Conflict and Its Management
Dr. Sachin K. Shelake 190 – 200
14. Protected Areas and Wildlife Conservation in India
Dr. Sheetal Dattatray Londhe 201 – 217
15. Endangered Species Conservation
Dr. Pratiksha Suresh Bhandare 218 – 233

SECTION III: SCIENCE, TECHNOLOGY AND SUSTAINABLE DEVELOPMENT

16. Genetics and Conservation: Role of Molecular Approaches in Biodiversity Protection
Dr. Uttamrao Lalasaheb Shevale 235 – 248
17. Statistical Approaches in Biodiversity Research and Ecological Studies
Mr. Prathamesh M. Bhosale, Dr. Sharadkumar M. Nimbale & Mr. Saurabh D. Shinde 249 – 262
18. Artificial Intelligence for Biodiversity Monitoring
Mr. Saurabh Dhanjay Shinde, Mr. Prathamesh M. Bhosale & Dr. Sharadkumar M. Nimbale 263 – 274
19. GIS, Artificial Intelligence and Emerging Technologies in Biodiversity, Environment and Sustainable Development
Dr. Abhijit Bhagwan Mane 275 – 292

NATURAL RESOURCE MANAGEMENT: A MULTIDISCIPLINARY APPROACH FOR BIODIVERSITY CONSERVATION AND SUSTAINABLE DEVELOPMENT

- Mr. Rahul Tayade

Natural resources are the basic foundation of life on Earth. Forests, water, soil, minerals, wildlife, grasslands, oceans and other components of nature provide the materials and environmental conditions required for human life. Food production, drinking water, energy, housing, industries and many livelihoods depend directly or indirectly on these resources. Human societies have depended on natural resources for thousands of years. During this period, people developed different methods of using and managing resources according to local environmental conditions. However, rapid population growth, urbanisation, industrialisation and increasing consumption have placed greater pressure on natural systems. Forest loss, overuse of freshwater, soil degradation, habitat conversion and pollution are now important environmental concerns.

Natural Resource Management (NRM) refers to the planned and responsible use, conservation, monitoring and restoration of natural resources. The purpose of NRM is not to stop the use of resources completely. Instead, it aims to ensure that resources are used in a way that maintains ecological processes and allows them to remain available in the future. Natural resource management has now developed into a multidisciplinary field. Ecology, environmental science, agriculture, forestry, economics, geography, sociology, technology and environmental policy all contribute to understanding resource-related problems. This multidisciplinary approach is necessary because environmental problems are generally connected with ecological, economic and social factors. Biodiversity is an important part of this relationship. Different species contribute to ecosystem processes, and changes in biodiversity can influence ecosystem functioning and the benefits obtained from ecosystems. Scientific studies have shown that biodiversity is closely related to

ecosystem functioning and the capacity of ecosystems to provide goods and services to people (Hooper et al., 2005; Cardinale et al., 2012).

Meaning of Natural Resource Management

Natural Resource Management refers to the systematic planning, use, conservation, monitoring and restoration of natural resources. It involves understanding how natural systems function and determining how resources can be used without causing serious or long-term environmental damage. Natural resources are generally divided into two broad groups: renewable and non-renewable resources.

- Renewable resources include forests, freshwater, soil, wildlife and fisheries. These resources can regenerate naturally when their rate of use remains within their capacity for recovery. However, renewable resources are not unlimited. For example, a forest can regenerate only when harvesting and other disturbances do not exceed its ability to recover.
- Non-renewable resources include minerals, fossil fuels and some geological materials. These resources are formed over very long geological periods. Once they are exhausted, they cannot be replaced within a human lifetime.

The management approach therefore has to be different for different resources. It should consider the availability of the resource, its rate of regeneration, ecological importance, demand, economic value and possible environmental impacts.

Relationship Between Natural Resources and Biodiversity

Natural resources and biodiversity are closely related. Biodiversity refers to the variety of life at genetic, species and ecosystem levels. Natural ecosystems provide food, shelter, breeding places and other conditions required for organisms to survive. Forests, for example, support trees, shrubs, herbs, mammals, birds, reptiles, amphibians, insects, fungi and microorganisms. Rivers and wetlands support fish, amphibians, aquatic plants, invertebrates and microorganisms. Grasslands provide habitats for plants, insects, herbivores and predators.

When natural resources are degraded, biodiversity can also decline. Deforestation can remove habitats, excessive water

extraction can alter aquatic ecosystems, and soil degradation can reduce plant growth and soil biodiversity. Habitat fragmentation can further isolate populations and reduce movement between suitable habitats. The relationship also works in the opposite direction. Biodiversity contributes to ecosystem functioning through processes such as pollination, seed dispersal, decomposition, nutrient cycling and biological control. Different organisms may perform different ecological functions, and the loss of species can therefore affect ecosystem processes (Hooper et al., 2005).

Major Components of Natural Resource Management

Natural Resource Management includes the management of several resources that are connected with one another. Important components include forests, water, soil, wildlife, minerals and energy resources.

Forest Resources: Forests are among the most important natural ecosystems. They provide timber, fuelwood, food, medicinal resources and other products. They also provide habitat for biodiversity and contribute to soil protection, water regulation and carbon storage. Sustainable forest management attempts to balance the use of forest resources with the maintenance of forest structure, regeneration and ecological functions. Important activities may include controlled harvesting, natural regeneration, fire management, habitat protection and restoration of degraded forests. Forest management should not be judged only by the number of trees present. Forest structure, species composition, deadwood, regeneration and habitat quality are also important for biodiversity. Research has shown that forest structure and management intensity can influence biodiversity indicators such as birds, plants and arthropods (Oettel & Lapin, 2021).

Water Resources: Freshwater is essential for people, agriculture, industries and aquatic ecosystems. Rivers, lakes, wetlands and groundwater systems all require proper management. Sustainable water management involves maintaining water availability while controlling pollution and excessive extraction. Water planning should also consider the ecological water requirements of rivers, wetlands and other aquatic ecosystems. Water management becomes more difficult when demand is high or when water is unevenly distributed.



Therefore, both human requirements and ecological requirements need to be considered.

Soil Resources: Soil is essential for agriculture and terrestrial ecosystems. It provides plants with water and nutrients and supports a large community of microorganisms and soil animals. Soil erosion, excessive chemical inputs, deforestation and inappropriate agricultural practices can reduce soil quality. Maintaining vegetation cover, adding organic matter, practising crop rotation and reducing erosion can help conserve soil. Healthy soil is also important for biodiversity because soil organisms participate in decomposition, nutrient cycling and other ecological processes.

Wildlife Resources: Wildlife forms an important part of natural ecosystems. Wildlife management includes habitat protection, population monitoring, protection of threatened species and management of interactions between humans and wild animals. Modern wildlife conservation should not focus only on individual species. Maintaining suitable habitats, ecological connectivity and ecosystem processes is equally important.

Mineral and Energy Resources: Minerals and energy resources are important for industries, infrastructure and economic development. However, mining and energy production can cause habitat loss, pollution, soil disturbance and changes in landscapes. Responsible management should therefore include environmental assessment, efficient resource use, restoration of disturbed areas and development of lower-impact alternatives where appropriate.

Why a Multidisciplinary Approach Is Necessary

Environmental problems usually have more than one cause. For example, forest degradation may be associated with agriculture, poverty, land ownership, demand for fuel, infrastructure development, population growth and market conditions. Ecology helps us understand how environmental changes affect organisms and ecosystems. Economics helps assess the costs and benefits associated with different resource-use decisions. Sociology helps explain human behaviour, institutions and community practices. Geography helps identify spatial patterns and changes in land use. Technology provides tools for monitoring and analysing environmental conditions. Policy and governance are also important.

Scientific knowledge alone may not result in conservation if suitable policies are absent or if existing regulations are not properly implemented. Natural resource management therefore requires cooperation among different disciplines. A combined approach can provide a more complete understanding of environmental problems and help develop solutions that are scientifically, socially and economically practical.

Role of Ecology and Environmental Science

Ecology provides the scientific basis for understanding relationships between organisms and their environment. Ecologists study population dynamics, food webs, species interactions, nutrient cycling, community structure and ecosystem functioning. Environmental science combines knowledge from several disciplines to study environmental problems. It helps connect biological processes with physical, chemical and social factors. In natural resource management, ecological knowledge can help answer several important questions:

- How much of a resource can be used without reducing its long-term availability?
- Which habitats are most important for biodiversity?
- What may happen if an important species is removed?
- How does habitat degradation affect ecosystem functioning?
- What conditions are required for ecosystem recovery?

Scientific monitoring provides evidence that can support management decisions. Biodiversity research has shown that changes in species composition and diversity can affect ecosystem properties and the services obtained from ecosystems (Hooper et al., 2005; Cardinale et al., 2012).

Role of Agriculture in Resource Management

Agriculture is closely connected with natural resource management because crop production depends on soil, water, biodiversity and climate. Traditional agricultural systems often developed according to local environmental conditions. However, intensive agriculture can increase pressure on soil and water when irrigation, fertilisers and pesticides are used excessively. Sustainable agriculture aims to maintain agricultural production while reducing environmental impacts. Important approaches include crop rotation,

integrated pest management, efficient irrigation, soil conservation and agroforestry. Agroforestry combines trees with crops and/or livestock. Such systems can provide products while also supporting soil conservation, biodiversity and other ecosystem services. Research indicates that the effects of agroforestry depend on the type of system and its management, but many agroforestry systems can provide biodiversity and ecosystem-service benefits compared with more simplified land-use systems (Torralba et al., 2016). Therefore, agricultural planning should consider not only crop production but also the long-term condition of soil, water and biodiversity.

Forest Management and Biodiversity Conservation

Forests are complex ecosystems rather than simple collections of trees. They contain plants, animals, fungi, microorganisms and a wide range of ecological interactions. Poorly planned logging can remove important habitats, change forest structure and increase fragmentation. Sustainable forest management attempts to maintain forest regeneration, structural diversity and ecological functions while allowing controlled use of resources. Protected areas, wildlife corridors and community-based forest management can complement sustainable forestry. Maintaining connectivity is particularly important for species that require movement between habitats.

Restoration is also necessary where forests have already been degraded. Natural regeneration can be an important restoration approach where suitable seed sources, environmental conditions and landscape connectivity remain available. A global meta-analysis found that natural regeneration can perform well for biodiversity and vegetation recovery in tropical forests under suitable conditions (Crouzeilles et al., 2017). More recent research also emphasises that natural regeneration is influenced by ecological, social and landscape-level conditions. Therefore, restoration methods should be selected according to local conditions rather than applying the same method everywhere (Chazdon et al., 2025).

Community Participation and Traditional Knowledge

Local communities are directly connected with many natural resources. Farmers, fishers, pastoralists and forest-dependent communities may possess detailed knowledge of local environments

developed through long-term observation and experience. Traditional and local ecological knowledge can include information about seasonal changes, plant uses, animal behaviour, water sources, weather patterns and resource-use practices. Scientific literature indicates that traditional ecological knowledge can contribute to biodiversity conservation and natural resource management, although its integration with formal conservation systems needs to be context-specific and should recognise the knowledge holders and their rights (Sinthumule, 2023). Community participation can also improve the practical implementation of conservation programmes because local people are directly connected with the landscape. However, participation should involve meaningful decision-making rather than simply asking communities to implement decisions already made by outside institutions. A successful approach should therefore combine scientific information with relevant local knowledge while respecting community experience, rights and responsibilities.

Role of Economics

Economic considerations are an important part of natural resource management. Natural resources provide both direct and indirect economic benefits. For example, forests provide timber and non-timber products. At the same time, they support water regulation, carbon storage, biodiversity and recreation. Some of these benefits do not have direct market prices. Economic valuation can help decision-makers understand the wider benefits of ecosystems. However, monetary valuation should not be the only basis for conservation decisions. Ecological, cultural and social values may be difficult to express in financial terms. The Millennium Ecosystem Assessment highlighted the strong connection between ecosystem change and human well-being and showed that many ecosystem services are important for human societies even when they are not directly traded in markets.

Ecosystem Services

Healthy ecosystems provide many benefits to human societies. These benefits are commonly described as ecosystem services.

- **Provisioning services** include food, freshwater, timber, fibres and biological resources used for medicines and other products.
- **Regulating services** include climate regulation, flood regulation, pollination, water purification and control of soil erosion.
- **Cultural services** include recreation, tourism, cultural identity and spiritual values.
- **Supporting processes** include primary production, soil formation and nutrient cycling. These processes support the other ecosystem services.

The ecosystem-service concept helps explain the connection between ecosystem health and human well-being. The Millennium Ecosystem Assessment provided a major scientific framework for understanding these relationships (Millennium Ecosystem Assessment, 2005). Biodiversity is also important for ecosystem functioning. A loss of biodiversity can influence ecosystem processes and the capacity of ecosystems to provide services (Cardinale et al., 2012).

Protected Areas and Conservation Planning

Protected areas such as national parks, wildlife sanctuaries and conservation reserves are important tools for biodiversity conservation. They can protect habitats and species from particular forms of human disturbance. However, protected areas alone cannot conserve all biodiversity. Many species move outside protected-area boundaries, and ecological processes often operate across large landscapes. Conservation planning should therefore also consider wildlife corridors, buffer areas and sustainable-use landscapes. Connections between protected areas can support movement and reduce the effects of habitat fragmentation. Landscape-level conservation considers protected forests, agricultural areas, rivers, wetlands, settlements and community lands as parts of a connected system. Such planning can help reduce conflict between conservation and development by identifying areas where different land uses can be managed according to ecological and social conditions.

Conclusion

Natural resources form the foundation of both ecological systems and human development. Forests, water, soil, wildlife, fisheries, minerals and other resources provide materials and ecological functions that support human societies. At the same time, increasing demand and unsustainable resource use can place natural systems under serious pressure. Habitat degradation, biodiversity loss, pollution, soil erosion, water stress and climate change show the need for more responsible resource management. Natural Resource Management cannot be effectively addressed by one discipline alone. Ecology, environmental science, agriculture, forestry, economics, sociology, geography, technology and governance all contribute important knowledge.

A multidisciplinary approach helps us understand environmental problems from different perspectives. It also helps develop management strategies that consider ecological processes, economic requirements and social conditions together. Biodiversity conservation should therefore be integrated into natural resource management rather than treated as a separate activity. Scientific evidence shows that biodiversity contributes to ecosystem functioning and that biodiversity loss can affect ecosystem processes and benefits to people (Hooper et al., 2005; Cardinale et al., 2012). The future of sustainable development depends on maintaining a balanced relationship between people and nature. Natural resources must be used carefully, ecosystems must be protected and degraded areas must be restored where possible.

References

1. Cardinale, B. J., Duffy, J. E., Gonzalez, A., Hooper, D. U., Perrings, C., Venail, P., Narwani, A., Mace, G. M., Tilman, D., Wardle, D. A., Kinzig, A. P., Daily, G. C., Loreau, M., Grace, J. B., Larigauderie, A., Srivastava, D. S., & Naeem, S. (2012). Biodiversity loss and its impact on humanity. *Nature*, 486, 59–67.
2. Chazdon, R. L., Blüthgen, N., Brancalion, P. H. S., Heinrich, V., & Bongers, F., et al. (2025). Drivers and benefits of natural regeneration in tropical forests. *Nature Reviews Biodiversity*, 1, 298–314.

3. Crouzeilles, R., Curran, M., Ferreira, M. S., Lindenmayer, D. B., Grelle, C. E. V., & Rey Benayas, J. M. (2016). A global meta-analysis on the ecological drivers of forest restoration success. *Nature Communications*, 7, 11666.
4. Crouzeilles, R., Ferreira, M. S., Chazdon, R. L., Lindenmayer, D. B., Sansevero, J. B. B., Monteiro, L., Iribarrem, A., Latawiec, A. E., & Strassburg, B. B. N. (2017). Ecological restoration success is higher for natural regeneration than for active restoration in tropical forests. *Science Advances*, 3(11), e1701345.
5. Hooper, D. U., Chapin, F. S., III, Ewel, J. J., Hector, A., Inchausti, P., Lavorel, S., Lawton, J. H., Lodge, D. M., Loreau, M., Naeem, S., Schmid, B., Setälä, H., Symstad, A. J., Vandermeer, J., & Wardle, D. A. (2005). Effects of biodiversity on ecosystem functioning: A consensus of current knowledge. *Ecological Monographs*, 75(1), 3–35.
6. Latawiec, A. E., & Crouzeilles, R. (2016). Natural regeneration and biodiversity: A global meta-analysis and implications for spatial planning. *Biotropica*, 48(6), 844–855.
7. Link, J. S., & Marshak, A. R. (2019). Characterizing and comparing marine fisheries ecosystems in the United States: Determinants of success in moving toward ecosystem-based fisheries management. *Reviews in Fish Biology and Fisheries*, 29, 23–70.
8. Oettel, J., & Lapin, K. (2021). Linking forest management and biodiversity indicators to strengthen sustainable forest management in Europe. *Ecological Indicators*, 122, 107275.
9. Sinthumule, N. I. (2023). Traditional ecological knowledge and its role in biodiversity conservation: A systematic review. *Frontiers in Environmental Science*, 11, 1164900.
10. Torralba, M., Fagerholm, N., Burgess, P. J., Moreno, G., & Plieninger, T. (2016). Do European agroforestry systems enhance biodiversity and ecosystem services? A meta-analysis. *Agriculture, Ecosystems & Environment*, 230, 150–161.



EDITORS



Dr. Nandkumar Kallappa Kamble

Assistant Professor in Zoology

Dr. Patangrao Kadam Mahavidyalayat, Ramanandnagar (Burli),
Tal-Palus, Dist-Sangli



Dr. Sanika Shailesh Gupte

Associate Professor, HOD Zoology R. J. College
R. J. College, Ghatkopar, Mumbai